

A TEMPLATE FOR JOURNAL*

Firstname1 SURNAME1 · Firstname2 SURNAME2 · Firstname3 SURNAME3

DOI:

Received: x x 20xx / Revised: x x 20xx

©The Editorial Office of JSSC & Springer-Verlag Berlin Heidelberg 2013

Abstract Please make sure NO reference number in your Abstract since it is misunderstood independent of full text.

Keywords Aaaa, bbbb, cccc.

1 Introduction

1.1 A Subsection

Please make sure that your paper contains correct reference sequence (If NOT, please resort them according to its appearance sequence, not alphabetical order. Moreover, please make sure that each bibliographical item is labelled and that these items are recalled using the command `\cite{\cdots}`, such as [1], [3], and [4–6]).

All equations, theorems, definitions, lemmas, propositions, corollaries, examples, remarks etc. would be better to be numbered consecutively and unpeatedly within each section. For example, Definition 2.1, Lemma 2.2, Theorem 2.3

Notice the Greek capital letter required for your article must be italic. For example, $\Gamma, \Theta, \Lambda, \Psi, \Omega, \dots$. Please make sure that the classified text in your paper are cited by the labels 1), 2), 3), . . . , (i), (ii), (iii), . . . , or (h), (i), (g), In addition, please make sure that the elements in a sequence list two items before an ellipsis is added, such as $\{f(x_i), i = 1, 2, \dots, n\}$, $y_1 < y_2 < \dots < y_n$, $A = A_1 + A_2 + \dots + A_m$,

References cited together in the text should be arranged chronologically, e.g. the results on target aggregation of first-order agent model^[3]. . . .

Use `\label` and `\ref` or `\eqref` to automatically cross-reference sections, equations, theorems and theorem-like environments, tables, figures, etc.

In all text and formulas, Notice the Greek capital letter must be italic.

Theorem 1.1 (see [2]) *The statements of theorems, lemmas, propositions, corollaries, etc. are set in italics, by using*

Address

E-mail:

*This research was supported by . . . under Grant No.

◊This paper was recommended for publication by Editor .

`\begin{theorem/lemma/proposition/corollary}`
`\end{theorem/lemma/proposition/corollary}`.

Proof Observe that

$$AAAAAAAAAA = BBBBBBBBBBB. \tag{1}$$

Now apply induction on n to (1)...

Remark 1.2 Remarks, definition, conjecture, examples, problems, algorithm, etc. are set in roman type.

2 Some Patterns

2.1 Figure





Figure 1 Aaa bbb ccc



(a) The estimated function $g(\cdot)$ (b) The scatter plot of residuals

Figure 2 The estimated function $\widehat{g}(\cdot)$ (Figure(a)) and the corresponding scatter plot (Figure(b)) of the residuals, where $Y = medv - mean(medv)$, $Z = (rm, \log(tax), ptratio, \log(lstat))^T$.

2.2 Table

Table 1 Aaa bbbbb ccc				
ρ	AR(1)		MA(1)	
	θ_0	β_0	θ_0	β_0
0.6	0.0037	2.1503	0.0071	2.1247
0.1	0.0034	1.8573	0.0034	1.7147
0.0	0.0031	1.8490	0.0030	1.6400
0.1	0.0033	2.0329	0.0035	2.1271

2.3 Formula Format

$$\begin{aligned}
 AAAAAAAAAA &= BBBBBBBBBBBB \\
 &\quad + CCCCCCCCCC \\
 &= DDDDDDDDDDDDD.
 \end{aligned} \tag{2}$$

$$\begin{aligned}
 AAAAAA &= (A + B) - (B^{-2^A} + 1)D - C, \\
 BBBBBBBB &= AA - BB + \left\{ \frac{A}{B} + \frac{B^2 - C + \frac{A}{B}}{CC + AD} \right\} - CCCC \\
 &\quad + DDDDD, \\
 DDDDDDDD &= \Omega A + \Phi_2.
 \end{aligned} \tag{3}$$

$$A_1 = B^T, \quad A_2 = C, \quad A_3 = D. \tag{4}$$

Notice that the transpose of a matrix must be used by T , the type of the exponent value is e.

$$AA = \begin{cases} BBB, & C = DD, \\ 0, & \text{otherwise.} \end{cases}$$

$$\begin{aligned}
 \|\tilde{u}^y(\cdot, t)\|_{L^1} &\leq e^{\bar{\beta}t} \|u_0\|_{L^1} + \int_0^t e^{\bar{\beta}(t-s)} \left\| \frac{f(\cdot, s)}{y(s)} \right\|_{L^1} ds \\
 &\leq e^{\bar{\beta}t} \|u_0\|_{L^1} + \int_0^t e^{\bar{\beta}(t-s)} \frac{\|f(\cdot, s)\|_{L^1}}{y(s)} ds \\
 &\leq e^{\bar{\beta}T} \left(\|u_0\|_{L^1} + \frac{\|f\|_{L^1(Q)}}{\delta} \right) \doteq r_0.
 \end{aligned} \tag{5}$$

Acknowledgements Thanks ...

References

- [1] Lorenzini D and Tucker T J, The equations and the method of Chabauty–Coleman, *Invent. Math.*, 2002, **148**: 1–46.
- [2] Jadbabaie A, Lin J, and Morse A, Coordination of groups of mobile agents using nearest neighbor rules, *IEEE Trans. Automatic Control*, 2003, **48**(6): 988–1001.
- [3] Godsil C and Royle G, *Algebraic Graph Theory*, Springer-Verlag, New York, 2001.
- [4] Michal F and Tami T, Approximate strong equilibrium in Job Scheduling Games, *Proceedings of the 1st International Symposium on Algorithmic Game Theory* (ed. by B. Monien and U. P. Schroeder), Paderborn, 2008.
- [5] Che Y W, H_∞ Analysis Method for the Small Signal Stability of Power System, Master’s degree thesis, Tsinghua University, Beijing, 2007.
- [6] Test
- [7] Test